

<b>Product code:</b>	20240172	<b>Condition:</b>	Refurbished By Factory	<b>Positive feedback:</b>	0 % Positive feedback
<b>Brand:</b>	COEL Motori	<b>Category:</b>	Wounded Rotor induction	<b>Return policy:</b>	NO
<b>Total:</b>	30	<b>Seller ID:</b>	sshamzRCQ6	<b>Guarantee:</b>	NO
<b>Price:</b>		<b>Seller store:</b>		<b>Fire Zone:</b>	NEC505 Zone 21 * AEx q IIIA T5 Dc



Short description: PMT - Hoist drives Brands arrow\_forward\_ios PMT - Hoist drives The PMT gearmotor is a parallel shaft gearbox combined with a safe and reliable brake motor studied for hoisting application. The design is based on the AMD (advanced modular design) system which allows multiple



General data	Electrical data	Mechanical data
Lifting Lugs	Temperature class	Temperature winding protection
Feedback Device	Max torque	AIR FLOW DIRECTION
Serial number	Electrical time constant	AIR FILTER
Frame size	Service factor	Brushed -Motor Type
Cooling type	Space heater	Long life brush system
Rotor weight	Rated Voltage	Terminal box position
Year made	Rotor current	Direction of rotation
Factory location	Rated power	Duty cycle(Type of duty)
Body Material	Number of Phase	Number of speed
Mounting	Rated frequency	Temperature rise
life time	Rated Speed	No load Noise (SPL 1 meter)
Electrical data	Rated Current	BRAKE
Torque Constant	Input power	DE bearing
Rated slip	Power factor	NDE bearing
Winding Type	Rated torque	Shaft type
Phase winding inductance	Locked rotor torque	shaft diameter
Phase winding resistance	Breakdown torque	shaft length
Dielectric Strength	Connection type	Paint color
Rotor inertia	Starting method	Temperature Bearing protection
Detent torque	Insulation class	Mechanical Bearing protection
Locked Rotor Time (Cold)	Efficiency class	Position of main cable entry
Locked Rotor Time (Hot)	Efficiency (%)	Cable gland size
Rotor voltage	Number of poles	Bearing type
Ground Lug	Mechanical data	Environmental data
Base RPM	Fan blade	Altitude ? ASL
Hot start number	Air flow	Design Humidity
Cold start number	Impeller	Enclosure Protection