

OPERMART data sheet

Product code:

20240188

Condition:

Refurbished By

Factory

Positive feedback: 0 % Positive feedback

Brand:

Price:

Indramat

Category:

Wounded Rotor

induction

Return policy:

NO

Total:

2 Seller ID: farha4OSZW

Guarantee:

Fire Zone:

NO

ATEX * I 2 G EX ia I B T5 Da *



Short description: INDRAMAT SERVO MOTOR MDD112C-N-030-N2L-130PB0

Seller store:

General data	Electrical data	Mechanical data
Lifting Lugs	Temperature class	Temperature winding protection
Feedback Device	Max torque	AIR FLOW DIRECTION
Serial number	Electrical time constant	AIR FILTER
Frame size	Service factor	Brushed -Motor Type
Cooling type	Space heater	Long life brush system
Rotor weight	Rated Voltage	Terminal box position
Year made	Rotor current - 456 A	Direction of rotation
Factory location	Rated power 549 kW	Duty cycle(Type of duty)
Body Material	Number of Phase	Number of speed
Mounting	Rated frequency 50 Hz	Temperature rise
life time	Rated Speed - 1498 rpm	No load Noise (SPL 1 meter)
Electrical data	Rated Current	BRAKE
Torque Constant	- Input power	DE bearing
Rated slip	- Power factor	NDE bearing
Winding Type	- Rated torque	Shaft type
Phase winding inductance	<u> </u>	
Phase winding resistance	- Locked rotor torque -	shaft diameter
	- Breakdown torque	shaft length
Dielectric Strength	- Connection type	Paint color
Rotor inertia	- Starting method	Temperature Bearing protection
Detent torque	- Insulation class	Mechanical Bearing protection
Locked Rotor Time (Cold)	- Efficiency class	Position of main cable entry
Locked Rotor Time (Hot)	- Efficiency (%)	Cable gland size
Rotor voltage 35	2 V Number of poles	Bearing type
Ground Lug	Mechanical data	Environmental data
Base RPM	Fan blade	Altitude ? ASL
Hot start number	Air flow	Design Humidity
Cold start number	Impeller	Enclosure Protection