

OPERMART data sheet

Product code:

20240122

Condition:

Used

Positive feedback:

0 % Positive feedback

Brand:

Bartec Varnost

Category:

3 Phase

Return policy:

NO

Total:

Price:

-29

Seller ID:

farha4OSZW

Guarantee:

NO

Seller store:

Fire Zone:

NEC505 Zone 22 * AEx o IIIA T6 Dc



Short description: saf

General data	Electrical data	Mechanical data
Cooling type	Cold start number	Lubrication -
ifting Lugs	Voltage fluctuation	shaft length
eedback Device	Frequency fluctuation	Brushed -Motor Type
fe time	Temperature class	Terminal box position
Mounting	Service factor	Direction of rotation
Body Material	Space heater	Duty cycle(Type of duty)
actory location	Rated Voltage	Number of speed 670 V
'ear made	Number of Phase	Rear Shaft
Rotor weight	Number of poles	Position of main cable entry 4
rame size	Rated frequency	No load Noise (SPL 1 meter)
Serial number	Rated Speed	BRAKE 1800 rpm
Electrical data	Rated Current	DE bearing
Vinding Type	- Rotor voltage	NDE bearing
Dielectric Strength	- Rotor current	Shaft type
Phase winding resistance	- Input power	shaft diameter
Phase winding inductance	- Rated torque	Paint color
ead Length	- Locked rotor torque	Temperature winding protection
Rated slip	- Breakdown torque	Temperature Bearing protection
otor inertia	- Connection type	- Mechanical Bearing protection
etent torque	- Starting method	- Cable gland size
ocked Rotor Time (Cold)	- Insulation class	Environmental data
ocked Rotor Time (Hot)	- Efficiency class	- Altitude ? ASL
Rated power		Design Humidity
orque Constant	- Power factor	Enclosure Protection
Ground Lug	- Mechanical data	Operating Temperature
excitation Power	Temperature rise	Maximum Case Temperature
Excitation current	Bearing type	Humidity Range (%)