




OPERMART data sheet

Product code:	20240162	Condition:	Pre Owned	Positive feedback:	0 % Positive feedback
Brand:	ABB	Category:	DC	Return policy:	NO
Total:	30	Seller ID:	User7	Guarantee:	NO
Price:		Seller store:		Fire Zone:	N/A



Short description: Three-phase motor, Electric motor, Power= 0.06 kW, Speed= 4 pole

General data	Electrical data	Mechanical data
Serial number	Rated Capacitor 2	Cable gland size
	-	-
Frame size	Max safe speed(MSS)	Step angle(deg)
	-	-
Cooling type	Detent torque	Temperature rise
	-	-
Rotor weight	Rotor inertia	Max radial force
	-	-
Year made	Dielectric Strength	Max axial force
	-	-
Factory location	Phase winding resistance	Radial Play
	-	-
BODY MATERIAL	Phase winding inductance	End Play
	-	-
Mounting	Lead Length	Corrosion resistance class CRC
	-	-
life time	Winding Type	Stepper angle for complete step
	-	-
Feedback Device	Hall Effect Angle	Bearing type
Yes	-	-
Lifting Lugs	Torque Constant	Fan blade
	-	-
Electrical data	Back EMF	Air flow
Rated Voltage	-	-
3112 kV	Sensor Hall	Shaft Run Out
	-	-
Rated power	Ground Lug	Impeller
123 W	-	-
Rated Speed	Excitation Power	Locked Rotor Protection
123	-	-
Rated Current	Excitation current	Commutation
-	-	-
DC Armature Voltage	Armature resistance	External Cooling Fan
-	-	-
DC Armature Current	Armature inductance	Lubrication
-	-	-
Input power	Base RPM	AIR FLOW DIRECTION
-	-	-
Number of Phase	DC Field Voltage	AIR FILTER
-	-	-
Number of poles	Hot start number	Brushed -Motor Type
-	-	-
Rated torque	Cold start number	Long life brush system
-	-	-
Locked rotor torque	Mechanical data	Terminal box position
-	No load Noise (SPL 1 meter)	null
Breakdown torque	-	AIR FLOW SWITCH
-	BRAKE	-
Connection type	Yes	Direction of rotation
-	DE bearing	-
Starting method	-	Duty cycle(Type of duty)
-	NDE bearing	-
Insulation class	-	Number of speed
-		