

OPERMART data sheet

Product code:

20240171

Condition:

Used

Positive feedback:

0 % Positive feedback

Brand:

Total:

Price:

Elin

1

Category:

Seller ID:

Wounded Rotor

sshamzRCQ6

induction

Return policy: NO

Guarantee:

NO

Seller store:

Fire Zone:

NEC500 Class III Division 2 Group G T6



Short description: Sustainable Technologies For Future Generations.

General data	Electrical data	Mechanical data
Lifting Lugs	Temperature class	Temperature winding protection
Feedback Device	Max torque	AIR FLOW DIRECTION
Serial number	Electrical time constant	AIR FILTER
Frame size	Service factor	Brushed -Motor Type
Cooling type	Space heater	Long life brush system
Rotor weight	Rated Voltage	Terminal box position
Year made	Rotor current	Direction of rotation
Factory location	Rated power - 555 kW	Duty cycle(Type of duty)
Body Material	Number of Phase	Number of speed
Mounting	Rated frequency 50 Hz	Temperature rise
life time	Rated Speed - 2990 rpm	No load Noise (SPL 1 meter)
Electrical data	Rated Current	BRAKE
Torque Constant	- Input power	DE bearing
Rated slip	- Power factor	NDE bearing
Winding Type	- Dated targue	Chaff turns
Phase winding inductance	- Rated torque	Shaft type
2	- Locked rotor torque	shaft diameter
Phase winding resistance	- Breakdown torque	shaft length
Dielectric Strength	- Connection type	Paint color
Rotor inertia	- Starting method	Temperature Bearing protection
Detent torque	- Insulation class	Mechanical Bearing protection
Locked Rotor Time (Cold)	- Efficiency class	Position of main cable entry
Locked Rotor Time (Hot)	- Efficiency (%)	Cable gland size
Rotor voltage 56°	7 V Number of poles	Bearing type
Ground Lug	Mechanical data	Environmental data
Base RPM	Fan blade	Altitude ? ASL
Hot start number	Air flow	Design Humidity
Cold start number	Impeller	Enclosure Protection