



OPERMART data sheet

Product code:	20240162	Condition:	Pre Owned	Positive feedback:	0 % Positive feedback
Brand:	ABB	Category:	DC	Return policy:	NO
Total:	30	Seller ID:	User7	Guarantee:	NO
Price:		Seller store:		Fire Zone:	N/A



Short description: Three-phase motor, Electric motor, Power= 0.06 kW, Speed= 4 pole

General data	Electrical data	Mechanical data
Serial number	Rated Capacitor 2	Cable gland size
-	-	-
Frame size	Max safe speed(MSS)	Step angle(deg)
-	-	-
Cooling type	Detent torque	Temperature rise
-	-	-
Rotor weight	Rotor inertia	Max radial force
-	-	-
Year made	Dielectric Strength	Max axial force
-	-	-
Factory location	Phase winding resistance	Radial Play
-	-	-
BODY MATERIAL	Phase winding inductance	End Play
-	-	-
Mounting	Lead Length	Corrosion resistance class CRC
-	-	-
life time	Winding Type	Stepper angle for complete step
-	-	-
Feedback Device	Hall Effect Angle	Bearing type
Yes	-	-
Lifting Lugs	Torque Constant	Fan blade
-	-	-
Electrical data	Back EMF	Air flow
Rated Voltage	-	-
3112 kV	Sensor Hall	Shaft Run Out
Rated power	-	-
123 W	Ground Lug	Impeller
Rated Speed	-	-
123	Excitation Power	Locked Rotor Protection
Rated Current	-	-
-	Excitation current	Commutation
DC Armature Voltage	-	-
-	Armature resistance	External Cooling Fan
DC Armature Current	-	-
-	Armature inductance	Lubrication
Input power	-	-
-	Base RPM	AIR FLOW DIRECTION
Number of Phase	-	-
-	DC Field Voltage	AIR FILTER
Number of poles	-	-
-	Hot start number	Brushed -Motor Type
Rated torque	-	-
-	Cold start number	Long life brush system
Locked rotor torque	-	-
-	Mechanical data	Terminal box position
Breakdown torque	No load Noise (SPL 1 meter)	null
-	-	AIR FLOW SWITCH
Connection type	BRAKE	-
-	Yes	Direction of rotation
Starting method	DE bearing	-
-	-	Duty cycle(Type of duty)
Insulation class	NDE bearing	-
-	-	Number of speed